

NGINX Config

Hide Version Info

```
server_tokens off;

# to set custom header:
more_set_headers 'Server: Something';
```

Proxy Example

[example.org.conf](#)

```
server {
    listen 80;
    server_name example.org;

    real_ip_header CF-Connecting-IP;

    location / {
        proxy_set_header Host $host;
        proxy_set_header X-Real-IP $remote_addr;
        proxy_ssl_verify off;
        proxy_pass http://example.com/;
    }
}
```

PHP FastCGI

[php.conf](#)

```
location ~* \.php$ {
    fastcgi_pass unix:/run/php/php7.0-fpm.sock;
    include fastcgi_params;
    fastcgi_param SCRIPT_FILENAME
    $document_root$fastcgi_script_name;
    fastcgi_param SCRIPT_NAME $fastcgi_script_name;
}
```

Return a Message

[message.conf](#)

```
location ~ ^/ {
    default_type text/html;
    return 200 "response body here";
}
```

Rate Limiting

[ratelimit.conf](#)

```
# 1 request a second, using the site hostname instead of an IP (so it's
1r/s no matter the IP)
limit_req_zone "$http_host" zone=app_name:10m rate=1r/s;

# 5 requests a minute, per IP
limit_req_zone "$http_cf_connecting_ip" zone=app_name:10m rate=5r/m;

# "10m" = 10MB. Configures how large the rambuffer should be for
storing requests.

# Use the correct status code for ratelimits
limit_conn_status 429;
limit_req_status 429;

server {
    # ...

    location ^~ /app {
        # Use the app_name zone
        limit_req zone=app_name;

        # Allow bursts
        limit_req zone=app_name burst=5;
    }

    # Custom error page if the req is being rate limited
    error_page 429 /ratelimit.html;

    # ...
}
```

From:
<https://wiki.tomr.me/> - **tom's wiki**

Permanent link:
<https://wiki.tomr.me/lab/nginx>

Last update: **2021-05-18 17:09**